


150 PSI 5+ +5
 +5
As
 12 VCT
Asset 




400 PSI 1-2+ +10
 +10
Ad
 12 PU VET
Advance 

800 PSI 0 +10
 +10
 +10
Ac
 16 PUR SVT
Achieve 



> INTRODUCING THE NEXT GENERATION OF FLOORING.

(USING IT CAN MAKE YOU LOOK LIKE A GENIUS.)




What if you could save your organization \$5.9 million over the next six years in maintenance costs? That would look pretty good on your resume, wouldn't it? Well, you can with Achieve, one of our new vinyl tile lines that dry buffs to a high gloss without wax or polish.

We've also re-engineered our basic VCT and our enhanced vinyl tile lines to make them an even smarter choice. Now they install in a third of the time, you can walk on them immediately, they require less maintenance and they come with the longest warranties in the industry.

We've developed a new adhesive that improves the installation process. It's called SpraySmart, and cuts installation time by up to 70 percent and contains no VOCs. It has better moisture resistance than ordinary adhesives, which allows us to double our warranties. When you cut cost, installation time and environmental impact, you'll look smart and so will your floor.


So that's the story.

A new tile system,
a new adhesive system,
a smarter approach to flooring.





THE 5 ELEMENTS OF THE AZROCK SYSTEM



With SpraySmart adhesive, your tile is ready for business a few minutes after it is installed and you'll be walking around on a new floor with triple warranty protection. The slip-resistant surface helps reduce slip/fall liability claims. And it's also moisture resistant up to 10 lbs/12 PH, not to mention the high PSI ratings.

Nothing is smarter than installing Azrock tile with SpraySmart adhesive. It takes less time (up to 70 percent less), fewer tools and less adhesive. The little adhesive that is used is odorless and contains no VOCs. And when it's all said and done, your space will be ready for immediate occupancy.

The entire Azrock line is part of the ColorWorks® story. Designers can easily mix product lines to create unique color stories. And with unique sizes, shapes, textures and edge options, looking good will also mean looking smart.

Our Achieve tile can eliminate polish or strippers. The lower maintenance requirements mean a decrease in labor costs and a lower impact on the environment. Making you look smart.

All products are FloorScore™ certified to ensure the best indoor air quality. Depending on your tile choice, you can earn LEED points. Using less adhesive means making less waste, up to one container for every four used in traditional installation. Lower maintenance costs also mean less waste because you use fewer products to maintain your floors. If that weren't enough, Azrock has put into place the ReUse Reclamation Program for clean flooring waste.

CONTENTS

- COLORWORKS ... 4
- ASSET ... 6
- ASSET NATURAL ... 8
- ASSET COSMOPOLITAN ... 8
- ASSET CONTEMPORARY ... 10
- ASSET URBAN ... 10
- GRANITE & GRANITE SR ... 12
- THRU-QUARTZ & SOLIDS ... 14
- ADVANCE ... 16
- CORTINASTONE ... 18
- ACHIEVE COLLECTION ... 20
- ACHIEVE NATURAL ... 22
- ACHIEVE COSMOPOLITAN ... 24
- ACHIEVE CONTEMPORARY ... 26
- ACHIEVE URBAN ... 28
- ADDED DIMENSIONS & FLOORART ... 30
- SPORT KITS ... 31
- SPRAYSMART/ADHESIVES ... 32
- SPECIFICATIONS ... 34
- ENVIRONMENTAL COMMITMENT ... 36

Gold Award Winner of
the 2007 Design Journal
ADEX awards



Make color work to your advantage with our integrated palette of commercial tile products from Azrock by Tarkett. A beautiful choice of colors, textures and compatible products in four dynamic color ranges — natural, cosmopolitan, contemporary and urban. Combine different product lines for the perfect blend of aesthetics and performance. And lead the way with extraordinary designs that are beautiful AND functional.

Natural.

The elevation of well being to an art form.

Cosmopolitan.



Rich expressions built on beautifully celebrated tones.

Contemporary.

The unexpected harmonies that add excitement to every day life.

Urban.

Elegantly combining the raw and the sophisticated.



CONTEMPORARY



HTS11 CG413 HTS13 MI317 VL125-3



VS236-3 HTS24 CG414 V-927 V-887



V-609 V-781 VL151-3 ST028-3 V-871



V-616 CG417 HTS14 V-615 HTS22



V-857 HTS16 V-613 HTS12 HTS15



V-610 CG407 CG406SR V-938 V-987



V-605 VS297-3 VS296-3 V-601 CG419



V-786 CG415 CG420 TQ220-3 ST012-3




HTS23 V-614 MI315 V-923 ST010-3



CG406 V-931

URBAN




V-626 V-618 SR123-3 TQ223-3 V-960 V-858



V-968 CG408SR V-789 CG402SR HTS18 MI310SR



CG401 TQ304-3 MI316SR MI314 MI314SR HTS17



V-866 CG416 V-310 TQ288-3 VS304-3 SR154-3



V-785 TQ297-3 CG416SR MI316 V-787 HTS20



ST018-3 TQ300-3 V-862 MI310 CG402 VS300-3



HTS19 VL130-3 SR130-3 ST011-3 SR120-3 CG403



MI311 VS288-3 VL120-3 TQ224-3 CG405 V-962






CG408 ST014-3 VL122-3 V-312 VL123-3 HTS29



HTS21 HTS30

COLORWORKS™





VINYL COMPOSITION

150 PSI

DOUBLE WARRANTY FOR 5 YEARS

FLOORSCORE CERTIFIED

EARN LEED POINTS

Asset is a vinyl composition tile with 150 PSI. It requires 5+ coats of polish, as well as stripping and refinishing. When Asset is installed using SpraySmart adhesive, you get double warranty protection – a 5-year manufacturing warranty and a 5-year limited moisture/PH warranty. Asset is FloorScore certified and can help you earn LEED points.

STANDARD VCT

- **Cortina® Colors**
- **Cortina® Classics**

Versatility and quality come beautifully together in Azrock's Asset VCT line, the designer-oriented array of contemporary colors, patterns and styles that coordinate and interact in virtually endless ways.

- 85% of VCT raw material is limestone – a clean, non-polluting and benign filler
- 100% of all production overage recycled back into VCT
- Packaged in recyclable cardboard on reusable and biodegradable wooden pallets
- 12" x 12" tiles
- FloorScore certified
- Reclamation program for VCT installation waste to further reduce the environmental impact and earn LEED rating
- Lowest up-front cost
- A minimum of 10% post-consumer recycled content

PREMIUM VCT


- **Granite™**
- **Granite™ SR**
- **Thru-Quartz**
- **Solids & Feature Strips**

Where the look and feel of exceptional quality is a paramount consideration, our Asset Premium VCT lines artfully blend extraordinary visual appeal with tough performance.

- Greater variety increases creative options and opportunities
- Added safety and slip-resistant capabilities are available with SR products
- 12" x 12" tiles
- Made of more than 85% limestone, a clean, non-polluting and benign filler
- 100% of all production overage is recycled back into VCT
- FloorScore certified
- Reclamation program for VCT installation waste to further reduce the environmental impact and earn LEED rating



150 PSI 5+ +5
As +5
12 VCT
Asset 



NATURAL

Cortina® Colors

Cortina® Classics

Standard VCT

12" x 12", 1/8" Gauge

65 Colors

- Provides the perfect base color tile to coordinate with and complement Azrock Premium Vinyl Composition Tile
- Durable and functional through pattern design

Color, shade and pattern may vary as this is a natural product.



V-890 Antique White



V-913 Light Moves



V-873 Sand Dune



V-824 Sesame



V-957 Fieldstone



V-914 Canvas Tan



V-602 Natural Moon



V-603 Buff



V-423 Autumn Haze



V-874 Desert Haze



V-984 Elemental



V-986 Baked Earth



V-607 Pecan Pie




V-985 Earthenware



V-988 Spicenut



V-606 Toasted Cinnamon



V-622 Mocha

COSMOPOLITAN



V-780 Sunburst



V-863 Sand Drift



V-625 Rosette



V-951 Red Pepper



V-628 Sangria



V-620 Brick



V-623 Coral Reef



V-976 Bronze Tan



V-608 Hype



V-621 Pomegranate



V-624 Sunrise



V-885 Honey



V-982 Maple Sugar



V-619 Saffron



V-627 Dusty Purple




V-604 Morning Glory



V-617 Amethyst



NATURAL



COSMOPOLITAN



150 PSI 5+ +5
As
12 VCT
Asset 

CONTEMPORARY

Cortina® Colors
Cortina® Classics
Standard VCT
12" x 12", 1/8" Gauge
65 Colors

- Provides the perfect base color tile to coordinate with and complement Azrock Premium Vinyl Composition Tile
- Durable and functional through pattern design

Color, shade and pattern may vary as this is a natural product.




V-786 Cloudburst




V-781 Rainbow



V-609 Iceberg



V-923 Geneva Blue



V-927 True Blue



V-887 Denim



V-616 Lagoon




V-615 Spearmint



V-931 Sage White



V-613 Pistachio




V-857 Teal Mist



V-601 Country Olive



V-610 Emerald



V-871 Rainforest



V-938 Balsam



V-605 Butternut



V-987 Brazilia



V-614 Granny Smith

URBAN



V-785 Cirrus



V-789 Windrift




V-787 Stratus



V-862 Cloud White



V-626 Silver Dust




V-312 White Tracery



V-858 Pewter Gray



V-866 Shale Gray



V-960 Silver Plum



V-618 Platinum



V-962 Greyhound



V-968 Evening



V-310 Midnight



CONTEMPORARY



URBAN



150 PSI 5+ +5
As
12 VCT
Asset

GRANITE™


Premium VCT

12" x 12", 1/8" Gauge

7 Colors

- Offers the natural look of real granite, for a fraction of the cost
- Pure, translucent color and distinctive stone laid in one direction combine for a virtually seamless installed look
- Durable and functional through pattern design
- Colors coordinate with Solids and Feature Strips for a multitude of design possibilities


Color, shade and pattern may vary as this is a natural product.



VL124-3 Tan




VL151-3 Pine Moss




VL125-3 Green



VL120-3 White



VL122-3 Gray



VL130-3 Blue Gray



VL123-3 Black

GRANITE™ SR

Premium VCT

Slip Resistant

12" x 12", 1/8" Gauge

9 Colors

- Same features as smooth Granite
- Ideal for facilities like grocery stores where patron safety and slip resistance are major concerns
- Textured surface combined with a through the thickness hard-particle composition provides the ultimate in slip resistance
- Colors appropriate for all commercial sites—from schools to retail shops


Color, shade and pattern may vary as this is a natural product.



SR135-3 Neutral White



SR136-3 Sandy Beige



SR138-3 Copper Brown



SR124-3 Tan




SR150-3 Black Cherry



SR154-3 Sapphire Mine



SR120-3 White




SR130-3 Blue Gray



SR123-3 Black



GRANITE™



GRANITE™ SR



150 PSI 5+ +5
As
12 VCT
Asset

THRU-QUARTZ

Premium VCT

12" x 12", 1/8" Gauge


12 Colors

- Solid color tile accented with a virtually nondirectional pattern of minute chips
- Durable and functional through pattern design
- The look of solid color without the additional maintenance
- Subtle field colors offer flexibility of design with Solids or Feature Strips


Color, shade and pattern may vary as this is a natural product.




TQ304-3 White




TQ290-3 Canvas




TQ217-3 Cornsilk



TQ289-3 Toast




TQ291-3 Camel




TQ288-3 Pewter




TQ224-3 Warm White



TQ284-3 Smoke




TQ223-3 Platinum



TQ297-3 Blue Gray



TQ220-3 Dusty Green



TQ300-3 Black

SOLIDS & FEATURE STRIPS

Premium VCT

12" x 12", 1/8" Gauge

12 Colors

6 sizes of Feature Strips

- Enhance design flexibility
- Coordinate perfectly for insets and borders with other Azrock products including Solid Vinyl Tile and Vinyl Enhanced Tile
- Perfect for custom logo work

Not recommended for fields of overall color, because slight color shading among the tiles may occur. As with any solid color flooring, extra maintenance attention is required.

Color, shade and pattern may vary as this is a natural product.



VS282-3 Cream Amber



VS240-3 Rio Red



VS242-3 Grape Ice



VS236-3 Dark Blue




VS296-3 Moss



VS297-3 Tree Green



VS217-3 Cornsilk




VS293-3 Brown




VS304-3 White



VS284-3 Smoke



VS288-3 Pewter



VS300-3 Black

FS284-3A Smoke, 1/4" width

FS284-3B Smoke, 1/2" width

FS284-3C Smoke, 1" width

FS284-3D Smoke, 2" width

FS284-3E Smoke, 3" width

FS284-3F Smoke, 4" width

FS284-3G Smoke, 5" width

FS284-3H Smoke, 6" width



THRU-QUARTZ



SOLIDS & FEATURE STRIPS



150 PSI 5+ +5
As +5
12 VCT
Asset 

400 PSI 1-2+ +10
+10
Ad
12 PU VET
Advance 

VINYL ENHANCED

2-3 COATS OF POLISH

400 PSI

DOUBLE WARRANTY FOR 10 YEARS

FLOORSCORE CERTIFIED

EARN LEED POINTS

Advance is a vinyl enhanced tile with 400 PSI. It has a higher upfront cost but lower maintenance costs. In fact, Advance can save your organization thousands of dollars annually.

Advance has a Tritonite PU Finish, a UV/ceramic coating technology which resists dirt buildup and requires no initial stripping. It requires 2 coats of polish and follow-up spray buffing with the occasional stripping and refinishing. Advance can save on maintenance costs.

When Advance is installed using SpraySmart adhesive, you get double warranty protection with a 10-year manufacturing warranty and 10-year limited moisture warranty.

Advance is FloorScore certified and can help you earn LEED points.



VINYL ENHANCED TILE

- **CortinaStone™**
 - More binder content than VCT
 - More durability and easier maintenance
 - Maintenance characteristics make VET ideal for areas that do not receive consistent routine maintenance (boutiques, small specialty retail, offices, etc.)
 - 12" x 12" tiles
 - FloorScore certified
 - Contains a minimum of 25% pre-consumer recycled content





400 PSI 1-2+ +10
+10
Ad
12 PU VET
Advance 




Vinyl Enhanced Tile
12" x 12", 1/8" Gauge
12 Colors



- Combines contrasting granite with soft, flowing marble
- Subtle design allows straight or turned installation
- Unique construction provides multi-dimensional deep stone look
- Various levels of color and graining provide the best concealment of traffic patterns in heavy use areas
- With Tritonite PU finish
- All colors of CortinaStone may be special ordered in a Slip Resistant version with a 300 carton minimum.


Color, shade and pattern may vary as this is a natural product.



ST029-3 Cream




ST017-3 Beige



ST016-3 Gold



ST027-3 Bronze



ST030-3 Caramel



ST036-3 Copper




ST010-3 Blue



ST012-3 Green



ST028-3 Moss



ST011-3 White



ST014-3 Gray



ST018-3 Black





400 PSI 2+ +10
Ad +10
12 PU VET
Advance 

800 PSI 0 +10
+10
+10
Ac
16 PUR SVT
Achieve 

SOLID VINYL

FLEXIBLE MAINTENANCE

NO INITIAL STRIPPING

800 PSI

HOMOGENEOUS CONSTRUCTION

TRIPLE WARRANTY FOR 10 YEARS

FLOORSORE CERTIFIED

EARN LEED POINTS

Achieve is a solid vinyl tile with 800 PSI and homogeneous construction. It has the highest upfront cost but virtually no maintenance cost. In fact, Achieve can save your organization thousands of dollars annually.

It can be maintained with neutral cleaner and dry buffing.

When Achieve is installed using SpraySmart adhesive you get a triple warranty, a 10-year manufacturing warranty, a 10-year limited moisture/PH warranty and a 10-year limited wear warranty.

Achieve is FloorScore certified, improving the environmental performance of the building, and can help you earn LEED points.




SOLID VINYL TILE

- **Achieve Smooth**
- **Achieve Slip Resistant (SR)**
 - Ideal for heavy use areas like school foyers, convenience stores and healthcare facilities
 - Highest binder content for superior durability and less maintenance
 - 16" x 16" tiles
 - FloorScore certified
 - Added safety and slip-resistant capabilities are available with SR products
 - SR products include a hard composite particle through the thickness for the ultimate in slip resistance
 - SR embossed surfaces channel moisture into valleys
 - Contains a minimum of 25% pre-consumer recycled content





800 PSI 0 +10
+10
+10
Ac
16 PUR SVT
Achieve 




NATURAL

The Achieve Collection
Solid Vinyl Tile
16" x 16", 1/8" Gauge
68 Smooth Colors
12 Slip Resistant Colors

- Ideal for heavy use areas
- Larger 16" x 16" size
- Highest binder content for superior durability and easy maintenance
- Broad color palette
- FloorScore certified



HTS1 Organic Cotton



CG412 Heather



HTS5 Flax




CG424 Cream



HTS2 Jute




CG410 Camel




CG426 Gold




HTS4 Straw



CG409 Ginger



CG404 Pumice




HTS6 Bark



MI313 Taupe*



MI319 Beige




HTS3 Earth




MI312 Brown

NATURAL SR


- Includes a hard composite particle through the thickness for the ultimate in slip resistance
- Embossed surface channels moisture into valleys
- Colors coordinate with smooth products



CG412SR Heather



CG410SR Camel



CG404SR Pumice





MI313SR Taupe*



MI319SR Beige



NATURAL




800 PSI 0 +10
 +10
 +10
Ac
 16 PUR SVT
 Achieve 

The Achieve Collection
Solid Vinyl Tile
16" x 16", 1/8" Gauge
68 Smooth Colors
12 Slip Resistant Colors


- Ideal for heavy use areas
- Larger 16" x 16" size
- Highest binder content for superior durability and easy maintenance
- Broad color palette
- FloorScore certified




HTS9 Golden*




CG422 Yellow




MI321 Gold




CG425 Peach*



CG411 Longhorn




MI320 Copper




HTS28 Korange




HTS8 Coral*




CG421 Orange




HTS10 Royal Red



CG418 Red




HTS7 Imperial Purple*



CG423 Eggplant



HTS25 Kurp



MI318 Plum*



HTS27 Krose






HTS26 Kink



*Non-promoted color



COSMOPOLITAN




800 PSI 0 +10
 +10
 +10
Ac
 16 PUR SVT
 Achieve 


CONTEMPORARY

The Achieve Collection
Solid Vinyl Tile
16" x 16", 1/8" Gauge
68 Smooth Colors
12 Slip Resistant Colors


- Ideal for heavy use areas
- Larger 16" x 16" size
- Highest binder content for superior durability and easy maintenance
- Broad color palette
- FloorScore certified




MI317 Blue*




HTS13 Blue Diamond*




CG414 Lilac




HTS24 Klue




CG419 Blue




HTS11 Vibrant Blue*




CG413 Royale




CG415 Galaxy




HTS22 Koise



CG417 Caribbean




HTS14 Aquamarine*



HTS23 Klime




HTS16 Sage*




CG407 Mint



MI315 Green




HTS12 Lounge Green



CG406 Sage



HTS15 Spring*



CG420 Green

CONTEMPORARY SR

- Includes a hard composite particle through the thickness for the ultimate in slip resistance
- Embossed surface channels moisture into valleys
- Colors coordinate with smooth products



CG406SR Sage*

CONTEMPORARY



800 PSI 0 +10
Ac +10
16 PUR SVT +10
Achieve 

URBAN

The Achieve Collection
Solid Vinyl Tile
16" x 16", 1/8" Gauge
68 Smooth Colors
12 Slip Resistant Colors

- Ideal for heavy use areas
- Larger 16" x 16" size
- Highest binder content for superior durability and easy maintenance
- Broad color palette
- FloorScore certified



HTS17 Bleached Concrete




MI316 White



HTS29 Kwhite



CG405 Cinder White




CG402 Black & White



MI310 Gray*




HTS18 Steel




MI314 Blue Gray




HTS21 Krey*




CG416 Multi-Gray



CG408 Silt




HTS19 Metropolitan Gray




CG403 Loam



HTS20 Charcoal*



CG401 Onyx



HTS30 Klack*



MI311 Black*

URBAN SR

- Includes a hard composite particle through the thickness for the ultimate in slip resistance
- Embossed surface channels moisture into valleys
- Colors coordinate with smooth products



MI316SR White*




CG402SR Black & White*




MI310SR Gray*



MI314SR Blue Gray*



CG416SR Multi-Gray*




CG408SR Silt*



URBAN



800 PSI 0 +10
Ac +10
16 PUR SVT +10
Achieve 



ADDED DIMENSIONS

Platinum Award Winner of the 2008 Design Journal ADEX awards




When you choose from Azrock's Added Dimensions, you're not just choosing homogeneous tile. You're giving yourself the size, color, texture, finish, and edge options that'll make your designs work exactly the way you want.

Start by picking any Achieve pattern: SolidAir, Cortina Grande, Milano or Karim Kolors. Then choose any one or combination of the following options:

- **Tile Size:** 16x16, 12x12 or 4 unique Karim Shapes
- **Texture:** Smooth, Rustic Stone or Slate Texture
- **Grout Treatment:** Standard Edge or exclusive Groutfit® .


Most conventional vinyl tiles have grout on all four sides which leaves a visible seam, right in the middle of the grout. Groutfit® tiles, with grout on only 2 sides, fit together for a beautiful, realistic tile with seamless grout.



Minimum order for any Added Dimensions textured product is 300 cartons. GroutFit not available on Karim Shapes. Karim Shapes minimum order is one full carton. Visit www.azrock.com for packing data.

Just call 1-800-558-2240 or visit www.azrock.com for more solutions.

Karim Shapes *(Available for all Achieve products)*




Hive



Node



Tide



Tri

Rustic Stone


FLOORART

Using waterjet technology, our flooring can be intricately and perfectly cut into any two-dimensional shape at almost any size. From schools to hotels to offices to retail space, we will make your floor stand out at prices you can afford.

Your custom design rendered in Azrock flooring in less than 6 weeks.

- Cost quotations are provided within 3 days from the time your preliminary drawings are received.*
- Within 14 days of your non-cancelable order, you will be sent final shop drawings (which will include material requirements by color) for signature approval.
- Once the flooring material has shipped from either our Houston or Florence Plant or your flooring contractor/dealer, we will require no more than 3 weeks to produce the final product, ready for shipment to your job site.

**Cost quotations will include CUTTING ONLY, with freight estimated. Material required to produce the design is in addition to the cut charges. Material requirements will be furnished with the final shop drawings, and the distributor will provide a materials cost quotation separately.*





SPRAYSMART



- READY FOR USE IMMEDIATELY AFTER INSTALLATION
- REDUCES INSTALLATION TIME BY UP TO 70 PERCENT
- LESS STRAIN ON INSTALLERS
- REQUIRES MINIMAL ACCESSORIES
- SAVES TIME AND MONEY
- ENVIRONMENTALLY FRIENDLY
- VOC-FREE

A Smart Tile deserves a smart adhesive. SpraySmart adhesive is that intelligent adhesive option.


A small team of workers is able to work swiftly in unison to lay the tile on the adhesive spray. The process is efficient, saving up to 70 percent on installation time. Once the installation is complete, the floor is ready for immediate occupancy. You spend less money on installers and have less downtime waiting for your floor to be ready.

A flooring system that saves you time and money makes you look smart.

70


PERCENT

FASTER INSTALLATION



ADDITIONAL ADHESIVES

All of our adhesives have been specially formulated and tested to provide superior results when used as recommended. Use of complete Tarkett branded installation systems, flooring material, floor preparation products and adhesives ensures Tarkett full warranty coverage on our commercial flooring products.



SpraySmart for VET, SVT, LVT



120SG Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 150 ft²
6 per case



121SG Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 100 ft²
6 per case

SpraySmart for VCT ONLY



122SG Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 250 ft²
6 per case



123SG Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 175 ft²
6 per case

SpraySmart Lever



135SL SpraySmart Lever

Smart Gun



134SG Smart Gun

SpraySmart Cleaner



1340 Overspray Cleaner
6 per case

Environmental Attributes & SpraySmart Potential for 10,000 ft²

	Typical Generic	Tarkett 100	Tarkett SpraySmart Potential
Quantity Per Average Store	12 buckets	9 buckets	56 cans / 9 cartons
Lbs of adhesive	480	360	74
Lb's of CO ² from freight	33	26	5
Gallons of manufacturing water	21.7	17.3	3.6

Bucket weight: 40 lbs each / SpraySmart Carton: 8 lbs 4 oz.

Reduction in Environmental Impact:

- Pounds of glue!
- Truckloads off the highways!
- CO² of freight greenhouse gas not generated!
- Gallons of manufacturing water saved!
- 79.4% decrease in adhesive manufactured, transported and installed!

Additional Adhesives



100 CLEAR THIN SPREAD ADHESIVE
for Vinyl Composition Tile - Zero TVOC




800 PRESSURE SENSITIVE ADHESIVE
for Commercial LVT, .100 gauge, and Solid Vinyl Tile - Zero TVOC



940 POLYURETHANE ADHESIVE
for specialized applications - Zero TVOC


Technical data	100-G	100-4	800-G	800-4	940-G
Size	1 Gallon	4 Gallon	1 Gallon	4 Gallon	1 Gallon
Quantity	4 per case	1 pail	4 per case	1 pail	1 carton
Weight	36 lbs/case (16.3 kg)	37 lbs (16.8 kg)	38 lbs/case (17.2 kg)	37 lbs (16.8 kg)	10 lbs (4.5 kg)



Asset



Technical data	Cortina® Colors & Cortina® Classics	Granite™	Granite™ SR Slip Resistant	Thru-Quartz	Solids & Feature Strips
Type of floor covering	Standard VCT	Premium VCT	Premium VCT	Premium VCT	Premium VCT
ASTM F 1066	Class 2 Through Pattern				
Smoke Density ASTM E 662	<450	<450	<450	<450	<450
Flammability ASTM E 648	Class 1 >0.45 CRF				
Static load limit ASTM F 970 [†]	150 psi				
Slip Resistance ADA Compliant	>0.6 COF	>0.6 COF	>0.8 COF	>0.6 COF	>0.6 COF
Thickness	1/8" / 3.2mm				
Colors	65	7	9	12	12
Tarkett Trowel Adhesive	100 Clear Thin Spread	100 Clear Thin Spread	100 Clear Thin Spread or 940 Polyurethane ^{††}	100 Clear Thin Spread	100 Clear Thin Spread
Tarkett SpraySmart Adhesive	122SG Gold and 123SG Platinum				
Warranty	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart
Maintenance	Conventional VCT maintenance / 5+ coats of finish*	Conventional VCT maintenance / 5+ coats of finish*	Conventional VCT maintenance / 5+ coats of finish*	Conventional VCT maintenance / 5+ coats of finish*	Conventional VCT maintenance / 5+ coats of finish*
Tile Size	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm
Quantity	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)
Weight	64 lbs per ctn (29.0 kg)				



Advance



Technical data	CortinaStone™
Type of floor covering	Vinyl Enhanced Tile
ASTM F 1066	Class 1
Smoke Density ASTM E 662	<450
Flammability ASTM E 648	Class 1 >0.45 CRF
Static load limit ASTM F 970 [†]	400 psi
Slip Resistance ADA Compliant	>0.6 COF
Thickness	1/8" / 3.2mm
Colors	12**
Tarkett Trowel Adhesive	100 Clear Thin Spread
Tarkett SpraySmart Adhesive	120SG Gold and 121SG Platinum
Warranty	10 Year Manufacturing 10 Year limited moisture/PH if installed with SpraySmart
Maintenance	Reduced finish maintenance / 1-2 coats of finish*
Tile Size	12" x 12" / 30.5 cm x 30.5 cm
Quantity	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)
Weight	58 lbs per ctn (26.3 kg)

*Depending upon use of the floor.

** All colors of CortinaStone may be special ordered in a Slip Resistant version with a 300 carton minimum.

† Static load limit per ASTM 970 modified by specifying a higher load on a smaller diameter tip. All other test conditions are the same.

†† In areas exposed to temperature fluctuations and occasional topical moisture.

Do you have a tricky installation?
A maintenance concern?
A durability or aesthetic issue?
Azrock technical consultants are a phone call away to answer questions and help you get the job done right: 713-869-5811.
Or email us at AZTech@tarkett.com

If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240.
Or visit our web site, www.azrock.com for more solutions.



Feature Strips

Sizes, Quantities & Weights

1/4" x 24"
100 pieces per ctn - 200 lin. ft. (60.96 lin. m per ctn)
6 lbs per ctn (2.7 kg)

1/2" x 24"
75 pieces per ctn - 150 lin. ft. (45.72 lin. m per ctn)
9 lbs per ctn (4 kg)

1" x 24"
50 pieces per ctn - 100 lin. ft. (30.48 lin. m per ctn)
11.5 lbs per ctn (5.2 kg)

2" x 24"
25 pieces per ctn - 50 lin. ft. (15.24 lin. m per ctn)
12 lbs per ctn (5.4 kg)

4" x 24"
15 pieces per ctn - 30 lin. ft. (9.14 lin. m per ctn)
14 lbs per ctn (6.3 kg)

6" x 24"
15 pieces per ctn - 30 lin. ft. (9.14 lin. m per ctn)
21 lbs per ctn (9.5 kg)



Achieve



Technical data	Achieve Smooth	Achieve SR Slip Resistant	Added Dimensions Karim Shapes	Added Dimensions Textures & Groutfit
Type of floor covering	Solid Vinyl Tile - Homogeneous	Solid Vinyl Tile - Homogeneous	Sizes, Quantities & Weights	Sizes, Quantities & Weights
ASTM F 1700	Class 1, Type A	Class 1, Type B	Node .8 sq. ft. 25 pieces per ctn - 20 sq. ft. (1.86 m ² per ctn) 22 lbs per ctn (9.98 kg)	Textured or Smooth 16" x 16" 25 pieces per ctn - 44.44 sq. ft. (4.12 m ² per ctn) 54 lbs per ctn (25.0 kg)
Smoke Density ASTM E 662	<450	<450	Tri .75 sq. ft. 25 pieces per ctn - 18.75 sq. ft. (1.74 m ² per ctn) 23 lbs per ctn (10.4 kg)	Textured or Smooth 12" x 12" 45 pieces per ctn - 45 sq. ft. (4.18 m ² per ctn) 54 lbs per ctn (25.0 kg)
Flammability ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Tide .8885 sq. ft. 50 pieces per ctn - 44.44 sq. ft. (4.12 m ² per ctn) 54 lbs per ctn (25.0 kg)	Groutfit 16" x 16" 15 pieces per ctn - 26.66 sq. ft. (2.48 m ² per ctn) 32 lbs per ctn (14.5 kg)
Static load limit ASTM F 970 ¹	800 psi	800 psi	Hive 1.1 sq. ft. 25 pieces per ctn - 27.5 sq. ft. (2.55 m ² per ctn) 32 lbs per ctn (14.5 kg)	Groutfit 12" x 12" 27 pieces per ctn - 27 sq. ft. (2.51 m ² per ctn) 32 lbs per ctn (14.5 kg)
Slip Resistance ADA Compliant	>0.6 COF	>0.8 COF		Minimum quantities may apply
Thickness	1/8" / 3.2mm	1/8" / 3.2mm		
Colors	68	12		
Tarkett Trowel Adhesive	800 Pressure Sensitive	800 Pressure Sensitive or 940 Polyurethane ¹¹		
Tarkett SpraySmart Adhesive	120SG Gold and 121SG Platinum	120SG Gold and 121SG Platinum		
Warranty	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart		
Maintenance	Commercial no-finish maintenance *	Bristle brush cleaning / 1-2 coats *		
Tile Size	16" x 16" / 40.6 cm x 40.6 cm	16" x 16" / 40.6 cm x 40.6 cm		
Quantity	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)		
Weight	54 lbs per ctn (25.0 kg)	54 lbs per ctn (25.0 kg)		

*Depending upon use of the floor.

MISSION STATEMENT

It is Azrock's goal to manufacture environmentally preferable products which have a lesser or reduced effect on human health and the environment compared to competing products and services.

Being environmentally conscious and striving to attain sustainability for the construction industry includes such things as:

- Reduce fuel usage
- Reduce waste/landfill usage
- Reduce construction time
- Reduce dependency on foreign oil
- Reduce traffic congestion
- Improve air quality
- Improve customer satisfaction

How does Azrock address these concerns ?

ENERGY

The plant reduced usage of energy by 20% going from 0.038MMBTU/carton to 0.031MMBTU/carton

Initiatives such as:

- 10% of the electricity used is "green". Replacement of lighting used in warehouse and approximately 40% of production areas to T5 fluorescents versus sodium light bulbs.
- installed "soft starts" on 35% of equipment to lower demand electricity load during start-ups have been put in place in all areas of the production process.

RAW MATERIALS

Packaging: 30-35% of all packaging is recycled content. Products: 2-3% recycled content is included in our tiles. In the next year we intend to double that amount.

REDUCTION OF CONSTRUCTION TIME

Using the Azrock system including product and Spray Smart adhesive will reduce your installation time by up to 70%, create a safe environment for the workers during construction with FloorScore certified products and adhesives and allow immediate occupancy of the building.

Azrock is always investigating new ways of reducing installation time with different technologies. We believe installation should be easier, simpler and less stress on the installation crew creating a positive impact on all facets of the business.



PERFORMANCE AND DURABILITY

Products are made in an ISO 9000 manufacturing facility guaranteeing the quality of the products and processes. All Asset (vinyl composition tile) products carry a 5 year warranty on manufacturing defects and moisture if installed with our Spray Smart adhesive; a unique combination in the industry.

Our Advance (vinyl enhanced tile) and Achieve (solid vinyl tile) carry a 10 year warranty inclusive of manufacturing defect and moisture if installed with Spray Smart adhesive. If maintained properly our products will remain beautiful for their useful life.

For some of our products, Advance and Achieve, Azrock has developed formulas allowing for a reduced impact on water and IAQ (Indoor Air Quality) with reduced maintenance options: from 2 coats of polish to a dry buffable surface.

INDOOR AIR QUALITY

All products and our Spray Smart adhesive are FloorScore certified.

RECYCLING

Products are 100% recyclable. Our ReUse program takes back all samples from the field but most importantly installation waste from job sites.

Azrock will divert back clean waste to our manufacturing facility for recycling within the products.

Azrock has a pilot program in the state of Texas for the recycling of the installed floors.

For life-cycle cost calculations, e-mail lcc@tarkett.com

For questions on the Tarkett ReUse program, e-mail ReUse@tarkett.com

Or call us at 1.800.558.2240



LOOK SMART

2728 SUMMER STREET :: HOUSTON, TEXAS :: 77007 :: 1.800.558.2240 :: WWW.AZROCK.COM

LP2009

Printed on 10% post consumer recycled fiber with soy based ink.

©2009 Tarkett, Inc. Printed in the USA 10/09

The contents of this document including, but not limited to, all text and images (Content) are owned by Tarkett Inc. with all rights reserved unless otherwise noted. Any Content that is a trademark, logo, or service mark is also a registered and unregistered trademark of Tarkett Inc. Your use of any Content without the written permission of Tarkett Inc. is strictly prohibited.